

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	90652	((memory or IC) near card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 19:45
S2	41	(HS-MMC or HSMMC or (high adj speed adj multimedia adj card) or (multimedia near card)) and (SD or secure near digital) with compati\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 19:50
S3	28	S2 and @ad<="20040330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 19:51
S4	92	(HS-MMC or HSMMC or MMC or (high adj speed adj multimedia adj card) or (multimedia near card)) and (SD or secure near digital) with compati\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 19:51
S5	58	S4 and @ad<="20040330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 19:50
S6	132	(HS-MMC or HSMMC or MMC or (high adj speed adj multimedia adj card) or (multimedia near card)) and (SD or secure near digital) with (compati\$5 or conform\$3 or combin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 19:51
S7	88	S6 and @ad<="20040330"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 20:27
S8	5	S6 and @ad<="20010226"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 20:23

EAST Search History

S9	0	combine with ((multimedia near card) or MMC) with ((secure near secure digital) or SD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 20:29
S10	38	(combin\$3 or conform\$3) with ((multimedia near card) or MMC) with ((secure near secure digital) or SD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 20:31
S11	1	((multimedia near card) or MMC) with "and" with ((secure near secure digital) or SD) with compati\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 20:32
S12	197610	((memory or flash or ic or "integrated circuit") near card) or ((non-volatile or (non adj volatile)) with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 13:39
S13	132504	S12 and (tim\$3 or (clock near cycle) or mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 13:41
S14	102209	S13 and (differen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 14:03
S15	14	(multi\$3 near mode) with (memory near card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 13:52
S16	6	((multi\$3 or plural) near standard) with (memory near card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 13:53

EAST Search History

S17	16804	S14 and standards	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 14:06
S18	46	S14 and (operation\$3 near standards)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 14:06
S19	114	(secure near digital) with (tim\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/24 19:26
S20	1	10/811898	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 14:38
S21	94	("6891894" "6386920" "6427918" "6932654" "6628961" "5928347" "6145046" "6292863" "6612498" "6438638" "6567273" "6745267" "6820148" "6824063" "6839864" "6900980" "6941403" "6941405" "6948016" "5577192" "5621428" "5644325" "5644333" "5696527" "5822524" "6023725" "6222924" "6222924" "4931628" "4559626" "5192883" "5537584" "6253259" "6412023" "6429704" "6097605" "6865086" "6963135" "6970359" "4821107" "5513340" "5841471" "3555306" "3700784" "3699839" "3659488" "4275455" "4601018" "4926255" "5001704").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 16:56
S22	9	hsmmc or hs-mmc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 17:02

EAST Search History

S23	526	high near speed near card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 17:03
S24	68	S23 and memory near card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 17:04
S25	68	S24 and (high near speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:20
S26	27	(data near output near tim\$3) with (standard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:26
S27	2706	((first and second) near standard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:27
S28	84	S27 and (memory near card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:31
S29	203	(two near standard) and (memory near card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:32
S30	0	S29 and @AD<"2003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:33

EAST Search History

S31	0	S29 and @AD<"04262003"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:33
S32	143	S29 and @AD<"20030426"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:37
S33	9	(data near output) with (operation near standard) and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:42
S34	4	(memory near card) with (operation near standard) and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:42
S35	1350	(memory near card) with (standard) and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:43
S36	999	S35 and @ad<"20030426"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:43
S37	931	S36 and tim\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/25 18:44
S38	129	S37 and (clock near signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 12:29

EAST Search History

S39	1	10/815811	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 13:12
S40	9568	(memory near card).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 13:26
S41	333	S40 and (high near speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 13:26
S42	45	S41 and (normal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 13:28
S43	28	S42 and @ad<"20030425"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 13:28
S48	0	(power with consumption with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 15:44
S49	24108	(power with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 15:36
S50	2303	(power near parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 15:36

EAST Search History

S51	1055	(power adj parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 15:36
S52	9	S51 and (memory near card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 15:37
S53	0	(power same consumption same parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 15:44
S54	548	(power same consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 15:44
S55	3	S54 and (memory near card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 16:08
S56	0	(memory near card) with (((power or current or voltage) near setting) with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 16:10
S57	9	(memory near card) with (((power or current or voltage)) with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 16:27
S58	235	((memory near card) or ((non-volatile) or (non near volatile) with memory)) with (((power or current or voltage)) with parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 17:49

EAST Search History

S59	182	S58 and @ad<"20030426"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 17:50
S60	146	((memory near card) or ((non-volatile) or (non near volatile) with memory)) with (((power or current or voltage)) near setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 17:50
S61	106	S60 and @ad<"20030426"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 18:25
S64	3	("9955,160").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 17:52
S66	24	09/955160	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 17:52
S67	3	(non-volatile) with memor\$2 with parallel with power with consumption	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 18:27
S68	4	(non-volatile) with memor\$2 with parallel with (power or voltage or current) with consumption	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 18:35
S69	11	(non-volatile) with memor\$2 with (parallel near operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 18:35

EAST Search History

S70	29	(non-volatile or flash) with memor\$2 with (parallel near operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 18:40
S71	3	(non-volatile or flash) with memor\$2 with (parallel near operation) with (power or current or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 18:52
S73	2	("6,708,257").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 18:53